



















Nostalgia Japan フレーム & カーボンパーツ価格表







Model	Pictures	Special Features	Size	Weight	小売店価格
CARBON Mountain bike					
NEW:29er inch MTB753		29inch MTB,headset FSA-Orbit-C40-No.42 compatible,Post mount brake	16",17.5",19",21"	1200g	OPEN価格
29er:MTB8 54		1-1/2" headset(57mm OD head tube)Threaded BB30 or BB91,inner cable or outer cable system,C/S postmount design and 2.4" tire,10mm travel fork compatible.	390/430/480/530 mm	1080g+/-30g(430 mm)	OPEN価格
2011 29er:MTB9 90		inner cable routing,FSA BB-CFM92C BB,31.6m seat post,Orbit C-40 headset	16.5",19",21"		OPEN価格
Post Mount or normal drop out:MTB750			16",18",20"	M size:1240g	OPEN価格
MTB902		1 1/8-1 1/2,31.6*400mm seat post,Disc,100mm rear travel,165mm/TR 38mm rear shock,shock eye 22.2*22.2*8mm	440/490/530mm	frame:1600g,seat post:240g	OPEN価格






Model	Pictures	Special Features	Size	Weight	小売店価格
2011 new:MTB306			17,19,21inch		OPEN価格
CARBON 700CC Road Racing Bike					
2011 new:FM857		3K, Monocoque, 1-1/8" headset (Ø50 OD Headtube) Thearded, BB30, BB91, Ingegrated S/T(CRF57A) Inner cable system and carbon dropout,.	450/480/510/ 540/570/600 mm	880g for size480m m 920g for size540m m	OPEN価格
2011 new:FM307		3K, BB30, headset FSA-Orbit-C40- No.42 compatible	460/490/520/ 560/580mm	frame:10 50g	OPEN価格
2011 new:FM308		3K	430/465/500/ 535/555/585 mm		OPEN価格
2011 new:FM309		3K	500/520/540/ 560/580mm		OPEN価格





Model	Pictures	Special Features	Size	Weight	小売店価格
New shimano Di2:FM757		slim seat tube design, BB30 or BSA 68mm optional, Di2 or normal cable routing optional, headset FSA-Orbit-C40-No.42 compatible, size 490mm 520mm match 50mm offset fork, size 540mm 560mm 580mm 610mm match 45mm offset fork	490/520/540/560/ 580/610mm		OPEN価格
New ISP- FM729		31.6mm seat post, super light, Asymmetric Head Tube	seat tube 690/720/750/780 mm	1100g	OPEN価格
NEW integrated ISP- FM238, BB30		carbon integrated frame, internal rear brake cable, replaceable RD hanger, 1 1/8" - 1 1/2" Asymmetric Head Tube, BB30 & BSA Compatible, super light, one-point drop-out connection, fork matching 1 1/2" lower crown bearing, 43 or 40mm offset	seat tube: 680/710/740/ 770/800/830mm	from 950g (ISP uncut), for k 340g uncut	OPEN価格
SUPER LIGHT: FM202 frameset		Semi-compact design, Campagnolo 45/45 headset integrated, replaceable rear hanger, English BB, 31.6mm seat tube, FSA NO 08 headset matching, Standard BSA 68mm length thread	Seat Tube: 440, 490, 520, 550, 580mm	520mm size: 994g, fork : 340g	OPEN価格






CARBON Time trial, Track, Triathlon





Model	Pictures	Special Features	Size	Weight	小売店価格
2011 new model Time trial:WS01		UCI proven,NACA aero design,internal routing,UD finish,SHIMANO BB-CF86	toptube:530mm,550mm,570mm	frame:1140g,seat post:300g,fork 400g	OPEN価格
NEW TT233 BB30		complete NACA tube profiling,UCI 3:1 and 80mm max profile compliant.fully internal cables,75-78 degrees twin seat post design.Unique rear drop-out adjusters.Uniform stack and reach increments.1 1/8"-1 1/4" Asymmetric Head Tube,BB30&BSA Compatible,Fork:offset 43mm,unique aerodynamic crown/frame shape.	461/481/502/522/543 mm seat tube	Frame from 1100g,for k390g	OPEN価格
Time trial&triathlon: TT201 FRAMESET		Horizontal,adjustable rear dropouts,replaceable rear hanger,fully internal cable routing,aerodynamic chainstay profile,optional twin-position seat post for 76-78 degree positioning,ultra-slim/low H/T,full carbon monocoque TT fork, specific 1 1/8" steerer, 400 gram .38 or 45 offset.Standard BSA 68mm length thread	top tube: 556 mm, 526mm,496mm	M size: 1385g for frame,470g for fork,250g for seat post	OPEN価格
PISTA:TRACK 201 FRAMESET		Track-specific geometry,extra-stiff UCI race-proven design.Drop-out adjusters,integrated seat clamping system,aero-carbon seat post,replaceable stainless rear drop outs. Carbon bladed track-specific fork,7075 alloy steerer,38 mm offset.	top tube:496,526,556,576mm	M size: 1550g for frame,855g for fork,250g for seat post	OPEN価格

Model	Pictures	Special Features	Size	Weight	小売店価格
CARBON Cyclecross & trekking & mini bike					
20" mini bike		20" wheel, rear end 451mm for road version and 406mm for MTB version	451mm/406mm	1050g, for k 400g	OPEN価格
Cyclecross-FM743		toray high modulus carbon fiber	490/520/550/580/610mm	1100g for 550mm size	OPEN価格
RIMS					
MTB-RM25C		ERD 520.6mm,	26", MTB clincher 25mm	380g	OPEN価格
20"-RM38C		ERD 390.1mm for 451mm, 451mm,	20", 38mm clincher		OPEN価格
RM38T		internal or external nipples, spoke quantity and precise angles as customer requirement, max. spoke tension > 320kgf, flatness < 0.5mm, ERD 563.4mm,	Rim section: 38mm, Spe: 700C, Tubular	330g	OPEN価格
RM50T		internal or external nipples, spoke quantity and precise angles as customer requirement, max. spoke tension > 320kgf, flatness < 0.5mm, ERD 539.4mm,	Rim section: 50mm, Spe: 700C, Tubular	410g	OPEN価格

Model	Pictures	Special Features	Size	Weight	小売店価格
RM58T		internal or external nipples,spoke quantity and precise angles as customer requirement,ERD 524,Max. spoke tesion>320 kgf ,nipple-hole depth 4mm,14-16mm nipple length recommended,	58mm tubular	445g	OPEN価格
RM88T		internal or external nipples,spoke quantity and precise angles as customer requirement,ERD 464,Max. spoke tesion>320 kgf ,nipple-hole depth 4mm,14-16mm nipple length recommended,	88mm tubular	front 535g, rear 560g	OPEN価格
RM38C		ERD 561.6 mm,spoke quantity and precise angles as customer requirement,	38mm clincher	370g	OPEN価格
RM50C		ERD:537.6mm,spoke quantity and precise angles as customer requirement,	50mm clincher	415g	OPEN価格
RM58C		ERD:521.6mm,spoke quantity and precise angles as customer requirement,	58mm clincher	435g	OPEN価格
RM85C		ERD: 467.6mm,spoke quantity and precise angles as customer requirement,	85mm clincher	550g	OPEN価格






Model	Pictures	Special Features	Size	Weight	小売店価格
CARBON WHEELSETS					
TS55C		55mm clincher, Alloy braking surface	700C ,clincher	rear:1060g,front960g	OPEN価格
TS55T		55mm tubular 3spoke,full carbon	700C ,tubular		OPEN価格
Disc901		disc wheel for TT or Track version,hub width 130mm for Time trial,120mm for Triathlon	700CC,tubular	1.3kg	OPEN価格
MTB-WH25C		25mm clincher MTB wheelset,Joytec hub front/quick release: A291SB/QR227,Joytec hub rear/quick release: A141SB(24H) rear F062SD-AA(28H),CN spoke424 (black)+external nipple,F/radial:R/2cross,120psi	26"	front610g ,rear 815g	OPEN価格
WH38C-20"		20" wheel,rear end 451mm or 406mm,joytec hubs,pillar flat spoke	20"	front 480g rear 720g	OPEN価格
WH38C		F/20 hole,R/24 hole,38mm clincher wheelset,Joytec hub front/quick release: A291SB/QR202F,Joytec hub rear/quick release: F482SB/QR202R,Pillar spoke 1422 (black)+external Cnspoke ACC144 alloy nipple,F/radial:R/2cross,120psi,Spoke length:Front 272mm Rear276mm /280mm	38mm,clincher	front670g rear 920g	OPEN価格

Model	Pictures	Special Features	Size	Weight	小売店価格
WH38T		F/20 hole,R/24 hole,38mm tubular wheelset,Joytec hub front/quick release: A291SB/QR202F,Joytec hub rear/quick release:F482SB/QR202R,Pillarspoke 1422 (black)+external Cnspoke ACC144 alloy nipple,F/radial:R/2cross,Spoke length:Front 272mm Rear276mm /280mm	38mm,tubular	front640g rear 900g	OPEN価格
WH50C		F/20 hole,R/24 hole,50mm clincher wheelset,Joytec hub front/quick release: A291SB/QR202F,Joytec hub rear/quick release: F482SB/QR202R,Pillar spoke 1422 (black)+external Cnspoke ACC144 alloy nipple,F/radial:R/2cross,120psi,Spoke length: front260mm Rear 264mm /268mm	50mm, clincher	front710g rear 955g	OPEN価格
WH50T		F/20 hole,R/24 hole,50mm tubular wheelset,Joytec hub front/quick release: A291SB/QR202F,Joytec hub rear/quick release: F482SB/QR202R,PILLAR spoke 1422 (black)+external CNSPOKE ACC144 alloy nipple,F/radial:R/2cross,Spoke length: front260mm Rear 264mm /268mm	50mm,tubular	front685g rear 920g	OPEN価格
WH58C		F/20 hole,R/24 hole,58mm clincher wheelset,Joytec hub front/quick release: A291SB/QR202F,Joytec hub rear/quick release: F482SB/QR202R,Pillar spoke 1422 (black)+external CNSPOKE ACC144 alloy nipple,F/radial:R/2cross, 120psi,Spoke length :Front 252mm Rear 256mm /260mm	58mm,clincher	rear 960g front 715g	OPEN価格
WH58T		F/20 hole,R/24 hole,58mm tubular wheelset,Joytec hub front/quick release: A291SB/QR202F,Joytec hub rear/quick release: F482SB/QR202R,PILLAR spoke 1422 (black)+external CNSPOKE ACC144 alloy nipple,F/radial:R/2cross,Spoke length :Front 252mm Rear 256mm /260mm	58mm,tubular	rear 945g front 705g	OPEN価格

Model	Pictures	Special Features	Size	Weight	小売店価格
WH85C		F/20 hole,R/24 hole,85mm clincher wheelset,Joytec hub front/quick release: A291SB/QR202F,Joytec hub rear/quick release: F482SB/QR202R,PILLAR spoke 1422(black)+external alloy nipple,F/radial:R/2cross,120psi	85mm,clincher	front 815, rear 1030	2OPEN価格
WH85T		F/20 hole,R/24 hole,85mm tubular wheelset,Joytec hub front/quick release: A291SB/QR202F,Joytec hub rear/quick release: F482SB/QR202R,PILLAR spoke 1422 (black)+external alloy nipple,F/radial:R/2cross,Spoke length :Front 222mm Rear 224mm /226mm	85mm,tubular	front 535g, rear1060g	OPEN価格
CARBON FORKS					
FK203		UD/3K/12K	Stem:Dia1.25*300mm	350-380g	OPEN価格
29" MTB fork:MFK701		UD/3K/12K	MTB hard fork,post mount	520g	OPEN価格


Model	Pictures	Special Features	Size	Weight	小売店価格
Drink cages					
WBC309		UD/3K/12K	for 74mm bottle	26g	OPEN価格
WBC301		UD/3K/12K	for 74mm bottle	15g	OPEN価格
WBC302		UD/3K/12K	for 74mm bottle	25g	OPEN価格
WBC304		UD/3K/12K	for 74mm bottle	30g	2OPEN価格
WBC307		UD/3K/12K	for 74mm bottle	25g	OPEN価格

Model	Pictures	Special Features	Size	Weight	小売店価格
WBC311		UD/3K/12K	for 74mm bottle	20g	OPEN価格
WBC312		UD/3K/12K	for 74mm bottle	20g	OPEN価格
WBC313		UD/3K/12K	for 74mm bottle	20g	OPEN価格
CARBON handlebar , stem , saddle , barend , seat post					
MHD301		UD/3K/12K	flat handlebar φ 31.8mm*540- 620mm	140±5g	OPEN価格
TTHD801		3k	40mm, straight extension bar, with Tektro carbon lever RX5.0	540g	OPEN価格

Model	Pictures	Special Features	Size	Weight	小売店価格
TTHD802		3k	40mm,bend extension bar,with Tektro carbon lever RX5.0	540g	OPEN価格
TTBAR901		3k	3 version: Straight, S bend up and S bend down,with Tektro carbon lever RX5.0	680g	OPEN価格
HD303		UD/3K/12K	Dia31.8 x420,440 mm	about 270g	OPEN価格
HD201		UD/3K/12K	Width: 400,420,440mm stem: 90,100,110,120,130mm	380g	OPEN価格
TRACK SPRINT HANDLEBAR HD201		UD/3K/12K	Track sprint handlebar C-C 38cm		OPEN価格
BE701		UD/3K/12K	115mm	90±5g	OPEN価格

Model	Pictures	Special Features	Size	Weight	小売店価格
SD701		UD/3K/12K		100g	OPEN価格
NEW :SM70 1		UD/3K/12K		coming soon...	
SP701		UD/3K/12K	φ 27.2/31.6*350mm	190+/- 10g	OPEN価格
SP306		UD/3K/12K,twist bolts,alloy head	φ 27.2/31.6*350mm	31.6mm: 220g, 27.2mm: 190g;min imum insertion 80mm	OPEN価格
SC301		UD/3K/12K	35*29*5/10/15/20 mm	25g per set	OPEN価格

Model	Pictures	Special Features	Size	Weight	小売店価格
High End Components					
SB-R102C		Dual Control Lever for 10 speed double chainring	shifter	microshift Arsis	OPEN価格
FD-R82-F		For double chainwheel max. 56T, total capacity 16T, rear 10S	front derailleur		
RD-R68S		Rear derailleur for 10 speed	rear derailleur		
RHG-RS10AL		ROAD11-25T;10s shimano compatible;silver color	sprocket	recon	OPEN価格
Ti-QR101		Ti quick release			OPEN価格
SL 901- Ti		1/2**11/128"; silver;9S	road chain	YBN	OPEN価格
SL 101-Ti		1/2**11/128"; gold;10S	mtb chain	YBN	OPEN価格
CK-OS 130 CR2		2533A2NC 53/39, alloy with carbon,chainwheels balck with silver; length:172.5mm Bolt Center Diameter130	crankset	w/o	OPEN価格
R750		carbon skin color	brake	tektro	OPEN価格

Model	Pictures	Special Features	Size	Weight	小売店価格
XR-270		profile:27mm black rim, red hub, red nipple, flat spoke(psr1420), quick release and rim tape(1385-1390g)	aluminium road wheelsets	w/o	OPEN価格
DBS-RD300ICA		Insert cartridge pads for carbon rims Length:55mm(for shimano)	brake pads for carbon wheelsets	w/o	OPEN価格
AS01SB/T		AL9X108X100 QR202F/112(20H)	carbon road hub	novatec	OPEN価格
FS12SB/A		AL10X140X130QR202R/144 with shimano 8/9s(24H)	carbon road hub	novatec	OPEN価格
AS31SB/A		2japanese sealed bearing, front AL hub, 20H,w/straight pull spoke hole, axle:9*108*100 w/novatec logo , W/QR202F-112L · polished anodized black	road hub	novatec	OPEN価格
FS12SB/AL		2japanese sealed bearing, front AL hub, 24H,w/straight pull spoke hole, axle:10*140*130 w/novatec logo , W/QR202R-144L · polished	road hub	novatec	OPEN価格
A291SB		24/14 n D40.5 AL 9X108X100 227/112	road hub	novatec	OPEN価格
F482SB		24/14 CR10X141X130 227/144	road hub	novatec	OPEN価格